

KNOW THE SIGNS OF MONKEYPOX

KEY SYMPTOM

RASH



The rash may:

- Look like bumps, pimples, blisters, sores, or scabs
- Be anywhere on the body including on the genitals, anus, mouth, hands, and face
- Be in just one area or may spread over the body
- Be itchy or painful (especially if inside the mouth or anus)

OTHER SYMPTOMS

FLU-LIKE SYMPTOMS



Fever/chills



Exhaustion,
muscle aches,
and headache



Swollen
lymph nodes

- Flu-like symptoms can appear 1-4 days before or after the rash starts
- Not everyone will get these symptoms

Symptoms usually start 5-21 days after exposure

The rash may appear in various forms - see below. Note: the rash may look different to these examples.



CONTACT YOUR DOCTOR RIGHT AWAY if you have a new, unexplained, rash or lesions on any part of your body. This is especially important if you were exposed to someone with or suspected to have monkeypox.

Until you know you don't have monkeypox, take steps to reduce the risk of spreading the infection including covering your rash and staying away from others. See ph.lacounty.gov/monkeypoxisolation.

IF YOU DON'T HAVE A DOCTOR:

- Call Public Health at 1-833- 540-0473 (7 days a week 8am - 8:30pm), or
- Visit a [Public Health Sexual Health Clinic](#) near you.

Scan QR code to
find a location



For more information on Monkeypox, visit:

ph.lacounty.gov/Monkeypox

Know the Signs of Monkeypox 8/31/2022

